

Guidelines

AIM OF THE COMMUNICATION TOOL:

Common document to propose and push the new BTicino **IP SYSTEM DES offer** in Real Estate and prescription market

- This document can be used as a modular and dynamic PPT presentation in meetings with clients, as an interactive PDF to sent by email, newsletter or to be downloaded from the web site
- **Customize the document according to local needs**
(language, offer perimeter, services and contacts, link to specific brochures/websites....).



IP SYSTEM FOR THE BEST PERFORMANCE




VIDEO DOOR ENTRY SYSTEM >

bticino

A Group brand | **legrand**

CLICK AND FIND OUT MORE


COMPANY
PROFILE




IP SYSTEM
OFFER




INDOOR
UNITS



ENTRANCE
PANELS




GUARD
STATION



ACCESSORIES



CONFIGURATION
AND MANAGEMENT



SERVICES
AND CONTACTS



Company Profile

Legrand

For more than 60 years, Legrand has been supplying integrated solutions for lighting, heating, energy, network and access management in buildings. The core business of the Group is to design, develop, and sell electrical and digital systems that are both simple and innovative, for better communication, tighter security, and improved comfort and convenience in buildings. Legrand is more than ever looking to the future. The video door entry system range is made by BTicino, a brand of the Legrand Group.

LEGRAND

world leader in digital and electrical infrastructures, of which BTicino is the leader in Italy.

BTICINO

the global specialist in video door entry systems, home automation and smart home.

Active in **180** markets.
Over **90** branches.
Over **4.600** active patents.
Over **17.000** hours/year dedicated to training employees on environmental issues.
5% of revenue invested in r&d.
50% of sales generated with products added to the catalogue less than 5 years ago.
37% of total investments dedicated to the development of new products and solutions.
Over **170.000** products in the catalogue.
More than **38.200** employees throughout the world.
Over **4 billion** electrical devices installed throughout the world.



IP SYSTEM for the best performance.

The ideal solution for large multiple-dwelling projects with a high number of apartments, able to guarantee high performance, long distances and high video signal quality.
Wide range of products with flexible and scalable solutions to satisfy every building needs.



reddot winner 2021

The "Red Dot" is a highest design quality award. The international jury only awards this sought-after seal of approval to products of outstanding design.



Entrance panel



Video indoor unit

> WATCH THE VIDEO



High-end design

with elegant finishing and wide touch display

Easy and quick configuration

using a dedicated software
and a scan tool to associate devices

Integration of ONVIF IP cameras,
lift control and alarm sensors is easy
and time-saving way

Multichannel: for simultaneous
conversations (no busy lines);
High definition video quality: up to 1280 x 720;
Technology: IP protocol (SIP/TCP);
Cables: FTP and UTP (CAT5 - CAT5E - CAT6) - Fiber optic
App Home + Security: incoming calls answering and door
locks activation by smartphone



Entrance
panel



reddot winner 2021

Guard station

Video
indoor unit

Multiple ways to call the apartment



STANDARD CALL
Area-Building-Riser
Floor-Apartment



ALPHANUMERIC CALL
Create codes with
numbers and letters




ADDRESS BOOK
With contact list
(touch displays only)

Multiple ways to access the building



FACE
RECOGNITION





FINGERPRINT




RFID CARD
AND BADGE



ACCESS CODE



SMARTPHONE




Always aware with the Home + Security App

THE BEST APP FOR A SAFE HOME

Alerts and notifications for incoming calls, motion and people detection, event information and door lock management with a simple and intuitive interface.




Home + Security




INCOMING CALL

Receive notification when someone is calling




SEE WHO'S CALLING

Answer the call and open the gate for the courier



CHECK EVENTS

Check who called you and if they left you a message



QUICK ACTIONS

- Activate the electrical door locks
- Call home / Intercom
- Activate the cameras
- Manage the DES answering machine

Guarantee maximum safety of the building and residents

Monitor the common areas ONVIF IP cameras from the tabletop guard station.



ONVIF®



Guarantee maximum safety of the building and residents

From the apartment indoor units, the resident can monitor private and common area ONVIF IP cameras.



> WATCH THE VIDEO

Let visitors and residents reach the floor without worries

Thanks to the access control function, visitors are taken directly to the floor of the called apartment while residents can call the lift from the indoor units.



Note: integration to be performed through the Lift Control protocol translator and dedicated software.

> WATCH THE VIDEO

Indoor units



- High-end and elegant **design**
- **User friendly interface** with icons
- **Homepage** with main functions, favorites, notifications and info
- **Security** functions (SOS pushbutton and possibility to connect up to 8 alarm sensors);
- Flashing LED for **notifications**
- Wall mounted installation



10inch touch display



7inch touch display

Versions with integrated camera for video intercom



10inch touch display
with integrated camera



7inch touch display
with integrated camera

Standard Touch screen indoor units

7 inches

- Discrete **design**
- **User friendly interface** with icons
- **Homepage** with main functions, favorites, notifications and info
- **Security** functions (possibility to connect up to 8 alarm sensors);
- Flashing LED for **notifications**
- Wall mounted installation



7inch touch display
Black finish



7inch touch display
Champagne Gold finish



7inch touch display
Mirror finish

Entrance panels



Touch screen entrance panels

with 10 inch touch display



MAIN FEATURES

- Modern interaction thanks to the wide touch display
- Different calling mode
- Customizable advertisement and background
- Flush mounted installation with dedicated box

ADVANCED FEATURES

- 3D Face recognition with liveness sensor
- Fingerprint



Entrance panel
with code, card
and badge reader

> WATCH THE VIDEO

Touch screen entrance panels

with 10 inch touch display



MAIN FEATURES

- Modern interaction thanks to the wide touch display
- Different calling mode
- Customizable advertisement and background
- Flush mounted installation with dedicated box

ADVANCED FEATURES

- 3D Face recognition with liveness sensor
- Fingerprint




Entrance panel with code, card and badge reader



Entrance panel with code, card - badge - fingerprint reader and face recognition



3D Face recognition



RFID Card & Badge reader



Fingerprint reader

Keypad entrance panels

with 4,3 inch display and keypad




MAIN FEATURES

- More traditional interaction thanks to capacitive keypad
- Different calling mode
- Customizable background
- Flush mounted installation

ADVANCED FEATURES

- 3D Face recognition with liveness sensor
- Fingerprint



Entrance panel
with code, card
and badge reader

> WATCH THE VIDEO



Keypad entrance panels

with 4,3 inch display and keypad




MAIN FEATURES


- More traditional interaction thanks to capacitive keypad
- Different calling mode
- Customizable background
- Flush mounted installation

ADVANCED FEATURES

- 3D Face recognition with liveness sensor
- Fingerprint




Entrance panel with code, card and badge reader



Entrance panel with code, card - badge - fingerprint reader and face recognition



3D Face recognition



RFID Card & Badge reader



Fingerprint reader

Small entrance panels

with 4,3 inch touch display



Suitable as building and single apartment entrance panel.

- Different call modes
- Direct call to guard station
- RFID card and badge reader
- 3D Face recognition with liveness sensor
- Code



Entrance panel with code, card and badge reader

BUILDING

VILLA

> WATCH THE VIDEO

Small entrance panels


Buttons for direct call




Suitable for indoor installations.
Ideal as single apartment entrance panel and to access common areas in residential buildings.

- Direct call to the apartment
- Direct call to the guard station
- RFID card and badge reader

> WATCH THE VIDEO



Entrance panel
with buttons
for direct call



Guard Station



Guard Station

High resolution video table-top device

- **10" full touch LCD display** with icons menu and handset
- Incoming calls management
- Possibility to **transfer the calls** to the indoor units or other guard stations
- Call and **alarm** history, monitor alarm records and SOS calls from indoor units, monitor IP cameras installed in the common areas and entrance panel cameras

Integrated camera for video Intercom with apartments and other guard stations (if present).

> WATCH THE VIDEO






Guard Station can manage:




CALL FROM
THE ENTRANCE
PANEL




IP & ENTRANCE
PANEL CAMERA
MONITORING



EMERGENCY AND
GENERIC ALARM
PROCESSING



CALL TRANSFER
& INTERCOM



COMMUNICATION
& SYSTEM
MANAGEMENT
WITH MULTIPLE
GUARD STATIONS

System accessories



Power supply 100-240 V with metal box; can be operate as an auxiliary power supply. Protected against short circuits: in case of DC output short circuit, the device will switch to protected mode. Wall-mounted installation.



PoE (Power over Ethernet) switch with 10 / 100 Mbps, 8 PoE ports and 1 non-POE port uplink and 24 V-100 W power supply. The PoE port is used for network communication and as power supply. DIN mounted installation (total of 14 DIN modules).



Server DES (Door Entry System) with configuration software. Must be installed in the building under the VLAN Network of the DES IP System to create, configure and update the entire installation.



USB Key for face registration to be inserted on DES Server to enable face registration and to provide access mode for face recognition.



Lift control interface with protocol translator to integrate lift function in IP door entry system. The configuration is completed using a dedicated software.

Configuration by software

Dedicated software for system configuration, which allows to create the topology of the installation, set devices parameters and easily associate all devices with a scan tool, making the installation process error-proof.

SETUP OF THE COMMUNITY NETWORK AND GENERAL INFORMATION

SYSTEM TOPOLOGY CREATION AND DEVICE ASSOCIATION

SETUP OF ALL PARAMETERS TO CUSTOMIZE THE INSTALLATION

MAINTENANCE AND UPDATES



Daily management


ACCESS MANAGEMENT WITH FACE, FINGERPRINT, BADGE REGISTRATION

REGISTRATION, MODIFICATION AND UPDATE OF THE RESIDENT'S INFO

ALARMS MANAGEMENT AND HISTORY

SENDING MESSAGES TO THE APARTMENTS

Using a standard computer, the guard station operator can open the software (installed on the DES Server), through web pages and registers update and modify residents' information and other details, including fingerprints, faces, badges and cards. It is also possible to send messages to indoor units, and change and update advertising carousel and screensavers on the entrance panels.



The main devices



ENTRANCE PANELS



Colour video	•	•	•	•	•	•
Finishes / Colours	Grey	Grey	Grey	Grey	Grey	Grey
Flush mounted installation	With accessory BT-375007	With accessory BT-375007	With accessory BT-375006	With accessory BT-375006	With accessory BT-375008	With accessory BT-375009
Capacitive button call			•	•		
Touch display	•	•				•
Keypad			•	•		
Direct call to apartment	•	•			•	•
3D Face recognition	•		•			•
Fingerprint reader	•		•			
RFID Badge reader	•	•	•	•	•	•
Protection index	IP54	IP54	IP54	IP54	IP54	IP54
Protection index against mechanical impact	IK07	IK07	IK07	IK07	IK07	IK07

The main devices

PREMIUM INDOOR UNITS



373001



373003



373002



373004

Touch screen colour video	•	•	•	•
Handsfree	•	•	•	•
Finishes /Colours	Grey	Grey	Grey	Grey
Display	LCD 10inch	LCD 10inch	LCD 7inch	LCD 7inch
Integrated camera	•		•	
Answering machine	•	•	•	•
Alarm management	•	•	•	•
SOS function	•	•	•	•
Door lock release	•	•	•	•
Entrance panel camera activation	•	•	•	•
Integration with Home + Security app	•	•	•	•
Intercom	•	•	•	•
Audio messages	•	•	•	•
Type of installation	Wall mounted	Wall mounted	Wall mounted	Wall mounted

The main devices

STANDARD INDOOR UNITS



373005



373006



373007

Touch screen colour video	•	•	•
Handsfree	•	•	•
Finishes /Colours	Black	Champagne Gold	Mirror
Display	LCD 7inch	LCD 7inch	LCD 7inch
Integrated camera			
Answering machine	•	•	•
Alarm management	•	•	•
SOS function			
Door lock release	•	•	•
Entrance panel camera activation	•	•	•
Integration with Home + Security app	•	•	•
Intercom	•	•	•
Audio messages	•	•	•
Type of installation	Wall mounted	Wall mounted	Wall mounted

> WATCH THE VIDEO

Services and Contacts

Services and Contacts

TITLE

Insert your text here

Iquibusamus. Menis ellit que idi aligentempor anti tem.
Ut porrum ullorehendit ipsum, conecati te occatur?
simustis ressin cuscips anditiorro

TITLE

Insert your text here

Iquibusamus. Menis ellit que idi aligentempor anti tem.
Ut porrum ullorehendit ipsum, conecati te occatur?
simustis ressin cuscips anditiorro

Example to be customized
with relevant information



bticino

A Group brand |  **legrand**